



# Compatibility Support Matrix:

## Interplay | Production, MediaCentral Platform, Avid NEXIS, and Avid ISIS

### Avid Interplay Production:

- [Avid Interplay | Production v3.5 and Later](#)
- [Avid Interplay | Production v3.4 - v3.0](#)

### Avid Editors:

- [Avid Editors with Interplay | Production](#)
- [Avid Media Composer | Cloud Remote Playback](#)

### Avid MediaCentral Platform:

- [Avid MediaCentral Platform Services \(3 pages\)](#)
- [Avid MediaCentral | UX Mobile](#)

### Avid Shared Storage:

- [Avid NEXIS E-series](#)
- [Avid NEXIS | PRO \(v5.x\)](#)
- [Avid ISIS 4.7.7 and Later](#)
- [Avid ISIS 4.7 - 4.7.6](#)
- [Avid ISIS 4.0 - 4.6.x](#)

### Router Control Integration:

- [Avid Router Control Supported Controllers](#)

Revision History	
14-Dec-17	Added Avid MediaCentral Platform Services v2.10.5
12-Dec-17	Added Avid NEXIS v7.10
16-Nov-17	Added Avid MediaCentral Platform Services v2.10.4
6-Nov-17	Clarified support for Media Indexer v3.8.0 and v3.8.1 for Media Composer v8.8.x and v8.9.x
24-Oct-17	Added Pro Tools 12.8 support
29-Sep-17	Added Avid MediaCentral Platform Services v2.10.3
27-Sep-17	Updated for Avid NEXIS 7.9
15-Sep-17	Updated for Avid NEXIS 7.8
14-Sep-17	Updated for Media Director v2.2
23-Aug-17	Updated Router Control section for Router Control v3.8.1.
22-Aug-17	Added Assist v3.8 support to Interplay v3.7
21-Aug-17	Added Avid NEXIS v7.7
4-Aug-17	Added Assist v3.8 and Media Composer v8.9. Also updated information for Router Control regarding Jupiter Accuswitch mode.
28-Jul-17	Added Avid MediaCentral Platform Services v2.10.2
21-Jul-17	Updated Media Indexer support for editor releases
18-Jul-17	Added Capture and Router Control v3.8 support back to Interplay v3.5
12-Jul-17	Added Avid MediaCentral   UX Desktop v1.5.1. Corrected MAM User Interface Support for MediaCentral v2.10.x.
30-Jun-17	Added support for Avid Interplay   Production v3.8.
15-Jun-17	Added Avid NEXIS 7.6, 7.5
16-May-17	Updated Capture and Router Control versions. Avid MediaCentral   UX Desktop v1.5 added. Added Avid NEXIS 7.4.
8-May-17	Added Interplay   Transfer v3.7.2 and clarified Media Composer   Cloud Remote support for Media Composer v8.6.x
27-Apr-17	Added MediaCentral Platform Services v2.10.1
7-Apr-17	Added support for Avid MediaCentral Distribution Service v3.7.1 with Avid MediaCentral Platform Services v2.10.
31-Mar-17	Added Avid MediaCentral Platform Services v2.10 and updated for Media   Director v2.1
22-Mar-17	Updated for Avid NEXIS 7.3
21-Mar-17	Updated for Interplay   Media Indexer
10-Mar-17	Revised Avid NEXIS support for Avid Pro Tools.
6-Mar-17	Corrected support matrix for Avid MediaCentral Platform Services and Avid Shared Storage client versions; updated Avid Media Composer v8.8 information.
2-Mar-17	Specified AirSpeed 5000/5500 v2.10.1 or later for Interplay   Production AVC_LongG support
27-Feb-17	Added Avid Media Composer v8.8.x
24-Feb-17	Added Avid MediaCentral MAM Connector v2.9.1.

# Interplay | Production v3.5 and Later

Interplay Software Versions	Interplay v3.8	Interplay v3.7	Interplay v3.6	Interplay v3.5
Release Dates	6/29/2017	12/22/2016	6/30/2016	12/17/2015
<b>Avid Interplay Components</b>				
<b>Interplay Engine Server</b>				
Server	3.8	3.7	3.6, 3.6.1	3.5
Interplay Access Client (PC)	3.8	3.7	3.6, 3.6.1, 3.6.2	3.5
Interplay Access Client (Mac OS X)	3.8	3.7	3.6, 3.6.1, 3.6.2	3.5
<b>Interplay Archive Engine</b>				
Server	3.8	3.7	3.6, 3.6.1	3.5
<b>Interplay Transfer</b>				
Server [a]	3.8.x	3.7.x	3.7.x, 3.6.x	3.7.x, 3.6.x, 3.5
Client [b]	3.8.x	3.7.x	3.7.x, 3.6.x	3.7.x, 3.6.x, 3.5
a. Requires latest patches applied to the Interplay Production Engine and matching version of Interplay Access on the Transfer Server. If using Interplay Transfer with a 3rd party vendor, verify compatibility before upgrading. Compatibility applies to Transfer Server in an Interplay workgroup only.				
b. If installing Transfer Server on an Avid editor for "standalone" workflows, match the Transfer Server and Transfer Client version to the editor release.				
<b>Interplay Media Indexer</b>				
Server	3.8	3.7.1	3.7.1	3.5.0
Client	3.4.3, 3.5.0, 3.6.2, 3.7.1, 3.8	3.4.3, 3.5.0, 3.6.2, 3.7.1	3.4.3, 3.5.0, 3.6.2, 3.7.1	3.4.3, 3.5.0
a. When multiple client versions are supported, the MI client version can be less than or equal to the server version.				
<b>Avid Service Framework</b>				
Avid Service Framework	1.8.1	1.8.1	1.8.1	1.8
<b>Production Services</b>				
Production Services Engine	3.8	3.7	3.6, 3.6.1	3.5
Interplay Adapter	Not Supported	Not Supported	Not Supported	Not Supported
ProEncode	Not Supported	Not Supported	Not Supported	Not Supported
Archive and Restore Services	3.8	3.7	3.6, 3.6.1, 3.6.2	3.5
Auto Archive/Transcode	3.8	3.7	3.6, 3.6.1	3.5
Transcode Service	3.8	3.7	3.6, 3.6.1	3.5
Streaming Server	Not Supported	Not Supported	Not Supported	Not Supported
STP Encode	3.8	3.7	3.6, 3.6.1	3.5
Move / Copy	3.8	3.7	3.6, 3.6.1	3.5
Delivery / Receiver	3.8	3.7	3.6, 3.6.1	3.5
Telestream Vantage	6.3	6.3	6.3	6.3
<b>Media Director</b>				
Media Director	2.2 [a]	2.2 [a]	2.2 [a]	2.2 [a]
AMA Plugin: Avid MXF	included	included	included	included
AMA Plugin: Avid Quicktime	included	included	included	included
AMA Plugin: Canon XF	3.2.0.14	3.2.0.14	3.2.0.14	3.2.0.14
AMA Plugin: Panasonic P2	4.8.2.0	4.8.2.0	4.8.2.0	4.8.2.0
AMA Plugin: Sony XDS	Nablet 4.0005.0.1252	Nablet 4.0000.2.1042	Nablet 4.0005.0.1252	Nablet 4.0005.0.1252
Apple QuickTime	7.7.6	7.7.6	7.7.6	7.7.6
<b>Footnotes for Media Director</b>				
a. Older versions are supported but all sites should use latest version of MJD and matching AMA plugins.				
Recent versions of Media   Director and AMA plugins may offer additional functionality such as new formats for transcoding and rewrapping or multi-channel audio support that is not available in older versions of Interplay.				
<b>MediaCentral / Interplay Central</b>				
<a href="#">See MediaCentral page</a>				
<b>Archive</b>				
SGL Flashnet Client	2015.4.1	2015.4.1	2015.4.1	2015.4.1
SGL Flashnet Server	6.6.3.007	6.6.3.007	6.6.3.007	6.6.3.007
SGL FlashNet Server for Direct Connect	6.6.3.007	6.6.3.007	6.6.3.007	6.6.3.007

# Interplay | Production v3.5 and Later

Interplay Software Versions	Interplay v3.8	Interplay v3.7	Interplay v3.6	Interplay v3.5
<b>Capture</b>				
<b>Interplay Capture</b>				
Capture Server & Client [a] [b]	3.8, 3.7.x, 3.6.x	3.8, 3.7.x, 3.6.x	3.8, 3.7.x, 3.6.x, 3.5.x	3.8, 3.7.x, 3.6.x, 3.5.x
Router Control	3.8, 3.7.x, 3.6.x	3.8, 3.7.x, 3.6.x	3.8, 3.7.x, 3.6.x, 3.5.x	3.8, 3.7.x, 3.6.x, 3.5.x
AMS Device Service	4.0.1	4.0.1	4.0.1	4.0.1
a. Try to match Capture and Router Control versions.				
b. Use the newest versions whenever possible especially when using Evertz Magnum controllers.				
<b>CaptureManager</b>				
Server & Client	Not Supported	Not Supported	Not Supported	Not Supported
<a href="#">For supported controllers, see the Avid Router Control Support page.</a>				
<b>Shared Storage</b>				
<b>NEXIS   PRO, E2, E4, E5</b>				
System Director and Client	7.1--7.10	7.1--7.8	6.x, 7.x	6.x, 7.x
<b>ISIS 2000, 2500</b>				
Server and Client	4.7.11	4.7.11	4.7.x	4.7.x
<b>ISIS 5000, 5500</b>				
Server and Client	4.7.11	4.7.11	4.7.x	4.7.x
<b>ISIS 7000, 7500</b>				
Server and Client	4.7.11	4.7.11	4.7.x	4.7.x
<b>MediaNetwork</b>				
Server	Not Supported	Not Supported	Not Supported	Not Supported
<b>Ingest/Playout</b>				
<b>AirSpeed Classic</b>				
AirSpeed Classic	Not Supported	Not Supported	Not Supported	Not Supported
<b>AirSpeed MultiStream (AMS)</b>				
AirSpeed MultiStream	1.8.16 and later	1.8.16 and later	1.8.16 and later	1.8.16 and later
<b>AirSpeed 5000, 5500</b>				
AirSpeed 5000 Series	2.9.x, 2.10.x 2.10.1 or later for AVC-LongG support	2.9.x, 2.10.x 2.10.1 or later for AVC-LongG support	2.9.x, 2.10	2.9.x
Playmaker			3.3	
<b>Low Res Encoder</b>				
Low Res Encoder	Not Supported	Not Supported	Not Supported	Not Supported
Low Res Root Disk Image	Not Supported	Not Supported	Not Supported	Not Supported
<b>iNEWS Components</b>				
iNEWS Instinct	Not Supported	Not Supported	Not Supported	Not Supported
<b>Newsroom</b>				
iNEWS Server	3.4.3 and later	3.4.3 and later	3.4.3 and later	3.4.3 and later
iNEWS Client				
Command	3.1 and later	3.1 and later	3.1 and later	3.1 or later

# Interplay | Production v3.4 - v3.0

Interplay Software Versions	Interplay v3.4	Interplay v3.3	Interplay v3.2	Interplay v3.1	Interplay v3.0.5	Interplay v3.0
Release Dates	9/24/2015	6/25/2015	12/15/2014	6/20/2014	9/26/2013	6/27/2013
<b>Avid Interplay Components</b>						
<b>Interplay Engine Server</b>						
Server	3.4	3.3	3.2	3.1	3.0.5	3.0
Interplay Access Client (PC)	3.4	3.3	3.2	3.1	3.0.5	3.0
Interplay Access Client (Mac OS X)	3.4	3.3	3.2	3.1	3.0.5	3.0
<b>Interplay Archive Engine</b>						
Server	3.4	3.3	3.2	3.1	3.0.5	3.0
<b>Interplay Transfer</b>						
Server [a]	3.7.x, 3.6.x, 3.5, 3.4	3.6.x, 3.5, 3.3	3.6.x, 3.5, 3.2	3.6.x, 3.5, 3.1	3.0.5	3.0
Client [b]	3.7.x, 3.6.x, v3.5, 3.4	3.3	3.2	3.1	3.0.5	3.0
a. Requires latest patches applied to the Interplay Production Engine and matching version of Interplay Access on the Transfer Server. If using Interplay Transfer with a 3rd party vendor, verify compatability before upgrading. Compatibility applies to Transfer Server in an Interplay workgroup only.						
b.If installing Transfer Server on an Avid editor for "standalone" workflows, match the Transfer Server and Transfer Client version to the editor release.						
<b>Interplay Media Indexer</b>						
Server	3.4.3	3.4.3	3.4.3	3.4.3	3.4.3	3.4.3
Client	3.4.3, 3.5.0	3.4.3, 3.5.0	3.4.3, 3.5.0	3.4.3, 3.5.0	3.4.3, 3.5.0	3.4.3, 3.5.0
a. Avid recommends running Media Indexer v3.4.3 with Interplay Production 3.0.x - 3.4.x.						
b. When multiple client versions are supported, the MI client version can be less than or equal to the server version.						
<b>Avid Service Framework</b>						
Avid Service Framework	1.8	1.8	1.8	1.8	1.7	1.6.0
<b>Production Services</b>						
Production Services Engine	3.4	3.3	3.2	3.1	3.0.5	3.0
Interplay Adapter	Not Supported	Not Supported	Not Supported	Not Supported	3.0.5	3.0
ProEncode	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	3.0
Archive and Restore Services	3.4	3.3	3.2	3.1	3.0.5	3.0
Auto Archive/Transcode	3.4	3.3	3.2	3.1	3.0.5	3.0
Transcode Service	3.4	3.3	3.2	3.1, 3.2	3.0.5	3.0
Streaming Server	3.0, 3.0.5	3.0, 3.0.5	3.0, 3.0.5	3.0, 3.0.5	3.0.5	3.0
STP Encode	3.4	3.3	3.2	3.1, 3.2	3.0.5	3.0
Move / Copy	3.4	3.3	3.2	3.1	3.0.5	3.0
Delivery / Receiver	3.4	3.3	3.2	3.1	3.0.5	3.0
Telestream Vantage	6.3	6.3	6.3	6		
<b>Media Director</b>						
Media Director	1.6/2.1 [a]	1.6/2.1 [a]	1.6/2.1 [a]	1.6/2.1 [a]	1.5 [a] [b]	1.5 [a] [b]
AMA Plugin: Avid MXF	included	included	included	included	included	included
AMA Plugin: Avid Quicktime	included	included	included	included	included	included
AMA Plugin: Canon XF	3.1.0.22	3.1.0.22	3.1.0.22	3.1.0.22	3.1.0.22	3.1.0.22
AMA Plugin: Panasonic P2	4.7.0.2	4.7.0.2	4.7.0.2	4.7.0.2	4.7.0.2	4.7.0.2
AMA Plugin: Sony XDS	PDZK-MA2 v3.5.1	PDZK-MA2 v3.5.1	PDZK-MA2 v3.5.1	PDZK-MA2 v3.5.1	PDZK-MA2 v3.5.1	PDZK-MA2 v3.5.1
Apple QuickTime	7.7.6	7.7.6	7.7.6	7.7.6	7.7.6	7.7.6
<b>Footnotes for Media Director</b>						
a. Older versions are supported but all sites should use latest version of M D and matching AMA plugins.						
Recent versions of Media   Director and AMA plugins may offer additional functionality such as new formats for transcoding and rewrapping or multi-channel audio support that is not available in older versions of Interplay.						
b. AMA workflows are not supported in Interplay versions < 3.1. Only Direct Ingest & Direct Ingest via Cache workflows are possible. With Interplay 2.7.5, only Direct Ingest is supported.						
<b>MediaCentral / Interplay Central</b>						
<a href="#">See MediaCentral page</a>						
<b>Archive</b>						
SGL Flashnet Client	6.1.52	6.1.52	6.1.52	6.1.52	6.1.52	6.1.52
SGL Flashnet Server	6.4.7	6.4.7	6.4.7	6.4.7	6.4.7	6.4.07
SGL FlashNet Server for Direct Connect	6.4.7	6.4.7	6.4.7	6.4.7	6.4.7	6.4.07

# Interplay | Production v3.4 - v3.0

Interplay Software Versions	Interplay v3.4	Interplay v3.3	Interplay v3.2	Interplay v3.1	Interplay v3.0.5	Interplay v3.0
<b>Capture</b>						
<b>Interplay Capture</b>						
Capture Server & Client [a] [b]	3.7.x, 3.6.x, 3.5.x, 3.4.x	3.7.x, 3.6.x, 3.5.x, 3.4.x	3.7.x, 3.6.x, 3.5.x	3.7.x, 3.6.x, 3.5	3.7.x, 3.6.x, 3.5.x	1.7.x
Router Control	3.7.x, 3.6.x, 3.5.x, 3.4.x	3.7.x, 3.6.x, 3.5.x, 3.4.x	3.7.x, 3.6.x, 3.5.x	3.7.x, 3.6.x, 3.5	3.7.x, 3.6.x, 3.5.x	2.4.6
AMS Device Service	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1	4.0.1
a. Try to match Capture and Router Control versions.						
b. Use the newest versions whenever possible especially when using Evertz Magnum controllers.						
<b>CaptureManager</b>						
Server & Client	Not Supported	Not Supported	Not Supported	Not Supported	4.2.1.5	4.2.1.5
<a href="#">For supported controllers, see the Avid Router Control Support page.</a>						
<b>Shared Storage</b>						
<b>NEXIS   PRO, E2, E4, E5</b>						
System Director and Client	6.x, 7.x	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
<b>ISIS 2000, 2500</b>						
Server and Client	4.7.x	4.7.x	4.7.x	4.6.1, 4.7.x	4.2, 4.5, 4.6.1, 4.7.x	4.2, 4.5, 4.6.1, 4.7.x
<b>ISIS 5000, 5500</b>						
Server and Client	4.7.x	4.7.x	4.7.x	4.6.1, 4.7.x	4.2, 4.5, 4.6.1, 4.7.x	4.2, 4.5, 4.6.1, 4.7.x
<b>ISIS 7000, 7500</b>						
Server and Client	4.7.x	4.7.x	4.7.x	4.6.1, 4.7.x	4.2, 4.6.1, 4.7.x	4.2, 4.5, 4.6.1, 4.7.x
<b>MediaNetwork</b>						
Server	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
<b>Ingest/Playout</b>						
<b>AirSpeed Classic</b>						
AirSpeed Classic	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
<b>AirSpeed MultiStream (AMS)</b>						
AirSpeed MultiStream	1.8.16 and later	1.8.16 and later	1.8.16 and later	1.8.16 and later	1.8.16 and later	1.8.16 and later
<b>AirSpeed 5000, 5500</b>						
AirSpeed 5000 Series	2.7.x, 2.8, 2.9.x	2.7.x, 2.8, 2.9.x	2.7.x, 2.8, 2.9.x	2.1.x, 2.6.x, 2.7.x, 2.9.x (No 2.8 support)	2.1.x, 2.6.x, 2.7.x, 2.9.x (No 2.8 support)	2.1.x, 2.6.x, 2.7.x, 2.9.x (No 2.8 support)
Playmaker						
<b>Low Res Encoder</b>						
Low Res Encoder	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
Low Res Root Disk Image	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
<b>iNEWS Components</b>						
iNEWS Instinct	Not Supported	Not Supported	6.2	6.1, 6.2	5.0.1	5.0
<b>Newsroom</b>						
iNEWS Server	3.4.3 and later	3.4.3 and later	3.4.3 and later	3.4.3 and later	3.4.3 and later	3.4.3 and later
iNEWS Client						
Command	3.1 or later	3.1 or later	3.1 or later	3.1 or later	3.1 or later	3.1 or later

# Editor Compatibility with Interplay | Production

Media Composer										
	Interplay v3.8	Interplay v3.7	Interplay v3.6	Interplay v3.5	Interplay v3.4	Interplay v3.3	Interplay v3.2	Interplay v3.1	Interplay v3.0.5	Interplay v3.0
MC 8.2.x					S [a] MI v3.4.3	S [a] MI v3.4.3	R [a, b,] MI v3.4.3	R [a] MI v3.4.3	S [a, c, d] MI v3.4.3	
MC 8.3.x					Not Supported	Not Supported	Not Supported	Not Supported		
MC 8.4.x				S MI 3.5	R [e] MI v3.4.3	R [e] MI v3.4.3	S (f) MI v3.4.3			
MC 8.5.x				R MI 3.5	S MI v3.4.3	S MI v3.4.3	S (f) MI v3.4.3			
MC 8.6.x			R [g] MI 3.7.1	S MI 3.5	S MI v3.4.3	S MI v3.4.3	S (f) MI v3.4.3			
MC 8.7.x	S MI 3.7.1	R MI 3.7.1	S MI 3.7.1	S MI 3.5	S MI v3.4.3	S MI v3.4.3	S (f) MI v3.4.3			
MC 8.8.x	R [h] MI 3.8.0 [j]	R [h] MI 3.7.1	S [i] MI 3.7.1	S [i] MI 3.5	S [i] MI v3.4.3	S [i] MI v3.4.3	S (f, i) MI v3.4.3			
MC 8.9.x	R MI 3.8.0 [j]	S MI 3.7.1	S [i] MI 3.7.1	S [i] MI 3.5	S [i] MI v3.4.3	S [i] MI v3.4.3	S (f, i) MI v3.4.3			
S=Supported; R=Supported and install this version of Interplay components on the editors (read horizontally for the R version)										
Interplay components = Access, Avid Service Framework (ASF), and optionally Transfer client. Note that ASF is not needed with MI v3.5 and later.										
MI versions are for MI server and client. For Mac editors running with a Media Indexer v3.4.3 server, use MI v3.4.2.										
A .x extension denotes the latest patch version										
<b>Footnotes for Editor Components</b>										
a. For MC v8.2.x (x >=2), use Interplay v3.2 components in a v3.2 greater environment. Use v3.1 components in Interplay v3.1 and v3.0.x environments.										
b. The new Interplay v3.2 features for Media Composer   Cloud, Remote Download and Remote Send to Playback, require MC v8.2.x (x >=2).										
c. MC v8.2.x are supported in an Interplay v3.0.x environment but they do not support a full AMA workflow in that environment. Full AMA workflow features require an Interplay v3.1 or greater environment.										
d. Media Composer   Cloud on Interplay v3.0.x requires MC v7.0.x.										
e. For MC 8.4.x, use the Interplay components that matches the version of the Interplay environment, for S values use the closest R value.										
f. There is no support for DNxHR resolutions in Interplay v3.2.										
g. MC 8.6.3 is not supported with Media Composer Cloud. MC 8.6.4 is supported with Media Composer Cloud 3.6.2 and later.										
h. For MC 8.8.x, use Interplay v3.8 components for Interplay v3.8 and use v3.7 components for Interplay v3.7 and earlier releases.										
i. Sony XAVC-L resolution not supported for checkin to Interplay										
j. New installations of Media Indexer v3.8.1 are not recommended. Install Media Indexer v3.8.0 server and client versions for MC v8.8.x and v8.9.x. Note that sites already running successfully with MI v3.8.1 can continue to do so. In those cases, keep MI v3.8.1 on the server and install MI v3.8.0 on the editors.										

Assist										
	Interplay v3.8	Interplay v3.7	Interplay v3.6	Interplay v3.5	Interplay v3.4	Interplay v3.3	Interplay v3.2	Interplay v3.1	Interplay v3.0.5	Interplay v3.0
Assist Version:	3.8	3.8, 3.7	3.6, 3.6.1	3.5	3.4	3.3	3.2	3.1, 3.2	3.0.5	3.0

Pro Tools   HD Components										
	Interplay v3.8	Interplay v3.7	Interplay v3.6	Interplay v3.5	Interplay v3.4	Interplay v3.3	Interplay v3.2	Interplay v3.1	Interplay v3.0.5	Interplay v3.0
PT 12.8.x	S [c, e, f]	S [c, e, f]	S [c, e]							
PT 12.7.x		S [c, e, f]	S [c, e]							
PT 12.5.x – 12.6.x			S [c, e]	S [c, d]						
PT 12.3.x – 12.4.x					S [c]	S [c]	S			
PT 12.2.x							S			
PT 12.0.0 – 12.1.0								S		
PT 11.3.1 – 11.3.2										
PT 11.1.0 – 11.3.0										
PT 11.0.x									S	S
PT 10.3.7 – 10.3.8										S [a, b]
S=Supported										
A .x extension denotes the latest patch version										
<b>Footnotes for Pro Tools Components</b>										
Empty cells indicate no support for the corresponding Interplay / ProTools releases.										
a. Pro Tools 10.x requires the Pro Tools Interplay Integration Plug-in 2.5, or higher, to be installed on the Pro Tools client.										
b. Pro Tools 10.x Send to Playback functionality requires the Pro Tools Send to Playback 2.5 Plug-in to be installed on the Pro Tools client.										
c. Pro Tools is only qualified for HD video workflows and below.										
d. Pro Tools 12.5 on Mac OS X requires Interplay Access v3.4.										
e. Send to Playback is not supported with this configuration.										
f. *Same as source check-in from Pro Tools is not functioning properly. A workspace must be selected.*										
<b>Web Services for ProTools Send to Playback Functionality</b>										
Web Services							3.2			3.0
<b>Detailed Support Information</b>										
<a href="http://avid.force.com/pkb/articles/en_US/Compatibility/en353977">http://avid.force.com/pkb/articles/en_US/Compatibility/en353977</a>										

# Media Composer | Cloud Remote Playback Compatibility

<i>Media Composer Cloud Remote Playback v3.0.x</i>	
<b>Media Composer</b>	v8.6.4 through v8.8.x
<b>MediaCentral Platform Services</b>	v2.8.1.2, v2.9.1, or v2.10.x
<b>Interplay Production</b>	v3.6.x through v3.8.x

<i>Media Composer Cloud Remote Playback v2.0.1, v2.02, and v2.0.3</i>				
<b>Media Composer</b>	v8.2.6	v8.4.4	v8.5.x	v8.6.x*
<b>MediaCentral Platform Services</b>	v2.2.1 through v2.5.2	v2.2.1 through v2.5.2	v2.5.0 through v2.5.2	v2.5.0 through v2.5.2**
<b>Interplay Production</b>	v3.2.x through v3.4.x	v3.2.x through v3.4.x	v3.5.x	v3.6.x

## Operating System Support:

Unless otherwise noted, the supported operating system for the Cloud Remote Playback plug-in follows that of Avid Media Composer. For a list of supported operating systems, see the associated Avid Media Composer ReadMe.

<i>* Media Composer v8.6.x Support</i>	
<b>Media Composer v8.6.1</b>	Supported as Media Composer Cloud Remote client.
<b>Media Composer v8.6.2 and v8.6.3</b>	Not supported as Media Composer Cloud Remote client.
<b>Media Composer v8.6.4</b>	Supported as Media Composer Cloud Remote client but requires using Interplay Production v3.6.2 client installer.

\*\* Support for Panasonic AVC-LongG was added to the MediaCentral Platform Services (MCS) v2.7 release. You must have MCS v2.7 or later to use AVC-LongG. For more information, see the Avid MediaCentral Platform Services V2.7 documentation.

## Additional Note:

**MediaCentral Platform Services v2.5.3 through v2.8.1.1 do not support Media Composer | Cloud Remote workflows.**

# MediaCentral Platform Services (MCS)

MediaCentral   UX Versions	MediaCentral (MCS) 2.10.x	MediaCentral (MCS) 2.9.x
<b>Qualified Products</b>		
MediaCentral   Distribute (Media Distribute)	MCS v2.10.0 supports Distribute v2.10.0 MCS v2.10.1 supports Distribute v2.10.1 MCS v2.10.2 supports Distribute v2.10.2 MCS v2.10.3 supports Distribute v2.10.3 MCS v2.10.4 supports Distribute v2.10.4 MCS v2.10.5 supports Distribute v2.10.5	MCS v2.9.0 supports Distribute v2.9.0 MCS v2.9.1 supports Distribute v2.9.1
Media Composer Cloud Remote	<a href="#">For compatibility information, see Media Composer   Cloud Playback Compatibility</a>	
MediaCentral   Asset Management (Avid Interplay MAM)	MediaCentral v2.10.3, v2.10.4 and v2.10.5 include User Interface support for: MediaCentral   Asset Management v2017.1 MediaCentral v2.10.x includes User Interface support for: Interplay MAM 5.8 through 5.9 (Additional hotfix required on the MAM server to support v5.8)	User Interface support for: MAM 5.1 through 5.8
MediaCentral   Asset Management Connector (MAM Connector)	MCS v2.10.0 supports MAM Connector v2.10.0 MCS v2.10.1 supports MAM Connector v2.10.1 MCS v2.10.2 supports MAM Connector v2.10.2 MCS v2.10.3 supports MAM Connector v2.10.3 MCS v2.10.4 supports MAM Connector v2.10.4 MCS v2.10.5 supports MAM Connector v2.10.5	MCS v2.9.0 supports MAM Connector v2.9.0 MCS v2.9.1 supports MAM Connector v2.9.1
MediaCentral   Caption (Closed Captioning Service (CCS))	MCS v2.10.0 supports CCS v2.10.0 MCS v2.10.1 through v2.10.3 support CCS v2.10.1 MCS v2.10.4 and v2.10.5 support CCS v2.10.4	MCS v2.9.x supports CCS v2.9.0
Assignments	MCS v2.10.0 supports Assignments v2.10.0 MCS v2.10.1 through v2.10.5 support Assignments v2.10.1	MCS v2.9.x supports Assignments v2.9.0
MediaCentral   UX Connector for Adobe Premiere Pro CC	MCS v2.10.x supports the v2.10.0 and v2.10.2 Connector for Adobe Premiere Pro CC v11.x (Release 2017) MCS v2.10.x supports the v2.10.3 Connector for Adobe Premiere Pro CC v11.x (Release 2017) MCS v2.10.4 and v2.10.5 support the v2.10.4 Connector for Adobe Premiere Pro CC v11.x (Release 2017) and v12 (Release 2018)	MCS v2.9.0 supports the v2.8.0 Connector with Adobe Premiere Pro CC v10 (Release 2015.4) MCS v2.9.1 supports the v2.9.1 Connector with Adobe Premiere Pro CC v11 (Release 2017)
MediaCentral   Maestro News (Maestro UX Plug-In)	MCS v2.10.x supports Maestro UX Plug-In v2.3.x (Maestro v7.3.x) MCS v2.10.2, v2.10.3, and v2.10.4 support Maestro UX Plug-In v2.4.0 (Maestro v7.4) MCS v2.10.5 supports Maestro UX Plug-In v2.4.0 (Maestro v7.4.5) and Maestro UX Plug-In v2.5.0 (Maestro v7.5)	MCS v2.9.x supports Maestro UX Plug-In v2.2.1 (Maestro v7.2.1)
<b>Operating System Components</b>		
Red Hat Enterprise Linux (RHEL)	6.5 [a]	6.5 [a]
a. See the MediaCentral Platform Services ReadMe for a list of RHEL security patches tested with MCS.		
<b>Avid Interplay Components</b>		
Interplay Production with Send to Playback (STP) workflow Requires MediaCentral Distribution Service (MCDS)	MCDS 3.8.0: Supported by Interplay Production 3.8.x MCDS 3.7.0 and 3.7.1: Supported by Interplay Production 3.7.x MCDS 3.6.1: Supported by Interplay Production 3.6.x MCDS 3.6.0: Supported by Interplay Production 3.6 MCDS 3.5.0: Supported by Interplay Production 3.5 MCDS 3.4.0: Supported by Interplay Production [a] 3.2, 3.3, and 3.4 MCDS 3.3.0: Supported by Interplay Production [a] 3.1.3, 3.2, and 3.3  <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	MCDS 3.7.0 and 3.7.1: Supported by Interplay Production 3.7.x MCDS 3.6.1: Supported by Interplay Production 3.6.x MCDS 3.6: Supported by Interplay Production 3.6 MCDS 3.5: Supported by Interplay Production 3.5 MCDS 3.4: Supported by Interplay Production [a] 3.2, 3.3, and 3.4 MCDS 3.3: Supported by Interplay Production [a] 3.1.3, 3.2, and 3.3  <b>This release does not support Interplay Production 3.1.2 or earlier.</b>
Interplay Production without Send to Playback (STP) workflow	3.1.3 [a] - 3.8.x  <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	3.1.3 [a] - 3.7.x  <b>This release does not support Interplay Production 3.1.2 or earlier.</b>
a. Media Central v2.7 and later requires Interplay Media Indexer v3.4.3 or later. Media Indexer v3.4.3 is supported with Interplay Production 3.1.x - 3.5.x.		
Interplay Access	Interplay Access v3.1.3 - v3.8.x	Interplay Access v3.1.3 - v3.7.x
Required for the Media Index Production Engine Bus Connector (PEBCo).	Interplay Access v3.6 or later is required if indexing an Interplay Archive database	Interplay Access v3.6 or later is required if indexing an Interplay Archive database
<b>Avid iNEWS</b>		
MediaCentral   Newsroom Management (Avid iNEWS)	3.4.3 and later [a]	3.4.3 and later [a]
a. Integrations with Media Index supported with iNEWS v5.2 and later. For more information, see the Avid Media   Index Configuration Guide.		
<b>Shared Storage</b>		
Avid ISIS Client (Linux) and Avid NEXIS Client (Linux)	4.7.11 (pre-installed with MCS v2.10.x) 7.2.0 [a] (bundled with MCS v2.10.0) 7.3.1 [c] (bundled with MCS v2.10.1) 7.6.0 [a] (bundled with MCS v2.10.2) 7.8.0 [a] (bundled with MCS v2.10.3) 7.9.0 [a] (bundled with MCS v2.10.4 and 2.10.5)	4.7.10 (pre-installed with MCS v2.9) 7.1.0 [a] (bundled with MCS v2.9)
Avid NEXIS	6.x, 7.0 - 7.8.0 (with supported client version listed above)	6.x, 7.0 - 7.1.0
Avid NEXIS   PRO (formerly ISIS 1000)	5.x (ISIS 1000 only), 6.x, 7.0 - 7.8.0 (with supported client version listed above)	5.x (ISIS 1000 only), 6.x, 7.0 - 7.1.0
ISIS 2500 - 2000 System Director	4.2.2, 4.5.x, 4.6.x, 4.7.x [b]	4.2.2, 4.5.x, 4.6.x, 4.7.x [b]
ISIS 5500 - 5000 System Director	4.2.2, 4.5.x, 4.6.x, 4.7.x [b]	4.2.2, 4.5.x, 4.6.x, 4.7.x [b]
ISIS 7500 - 7000 System Director	4.2.2, 4.5.x, 4.6.x, 4.7.x [b]	4.2.2, 4.5.x, 4.6.x, 4.7.x [b]
a. The NEXIS v7.x client is supported with ISIS 7500, 7000, 5500 and 5000 back-ends running v4.7.5 or later, Avid NEXIS   PRO v5.x and later, Avid NEXIS v6.x, and the versions of Avid NEXIS v7.x listed above.		
b. The ISIS client version must always be equal to or greater than the version of software on the Avid ISIS System Director. If necessary, upgrade to the Avid NEXIS client bundled with the MediaCentral software.		
c. The Avid NEXIS Client v7.3.1 is qualified with MediaCentral v2.10.x. To install the client on MediaCentral v2.10.1, see the instructions in the MediaCentral Installation Guide. To install the client on MediaCentral v2.10.0, see the Avid Knowledge Base at: <a href="http://avid.force.com/kb/articles/en_US/how_to/Upgrading-the-Avid-shared-storage-client-from-a-bin-file">http://avid.force.com/kb/articles/en_US/how_to/Upgrading-the-Avid-shared-storage-client-from-a-bin-file</a>		
<b>Browser</b>		
<b>Avid MediaCentral   UX Desktop</b>		
MediaCentral   UX Desktop	Desktop 1.4, 1.5, 1.5.1 • Windows 7 and Windows 10 (32 bit and 64 bit) • Mac OS 10.10	Desktop 1.4, 1.5, 1.5.1 • Windows 7 and Windows 10 (32 bit and 64 bit) • Mac OS 10.10
Google Chrome	Windows 7, Windows 10 and Mac OS 10.10	Windows 7, Windows 10 and Mac OS 10.10
Chrome (64 bit Chrome on Mac) (32 bit and 64 bit Chrome on Windows)	Tested version: 63.0.3239.84	Tested version: 55.0.2883.87 m
<b>Safari</b>		
Safari 11	macOS 10.13 (High Sierra) Tested version: 11.0.1 (13604.3.5)	Not Supported
Safari 10	macOS 10.12 (Yosemite) Tested version: 10.0.3 (12602.4.8)	macOS 10.12 (Yosemite) Tested version: 10.0.1 (12602.2.14.0.7)
Safari 9	OS X 10.11 (El Capitan) Tested version: 10.0.1 (12602.2.14.0.7)	OS X 10.11 (El Capitan) Tested version: 10.0.1 (12602.2.14.0.7)
Safari 8	Not Supported	Not Supported
<b>Mobile Devices</b>		
<a href="#">See MediaCentral Mobile page</a>		



# MediaCentral Platform Services (MCS) (Continued)

MediaCentral   UX Versions	MediaCentral (MCS) 2.8.x	MediaCentral (MCS) 2.7.x	MediaCentral (MCS) 2.6.x	MediaCentral (MCS) 2.5.x	MediaCentral (MCS) 2.4.x
<b>Qualified Products</b>					
<b>Media Distribute</b>	MCS v2.8.x supports Distribute v2.8.0	MCS v2.7.0 supports Distribute v2.7.0 MCS v2.7.1 supports Distribute v2.7.1 MCS v2.7.2 supports Distribute v2.7.2	MCS v2.6.0 supports Distribute v2.6.0  MCS v2.6.1 and v2.6.2 support Distribute v2.6.1	MCS v2.5.x supports Distribute v2.5.0 and v2.5.1	MCS v2.4.0 supports Media Distribute v2.4.0 MCS v2.4.1 supports Media Distribute v2.4.1 MCS v2.4.x supports Media Distribute v2.4.3
<b>Media Composer Cloud</b>	<a href="#">For compatibility information, see Media Composer   Cloud Playback Compatibility</a>				
<b>Interplay MAM</b>	User Interface support for: MAM 5.1, 5.2, 5.3, 5.4, 5.5, 5.6, and 5.7	User Interface support for: MAM 5.1, 5.2, 5.3, 5.4, 5.5 and 5.6	User Interface support for: MAM 5.1, 5.2, 5.3, 5.4 and 5.5	User Interface support for: MAM 5.1, 5.2, 5.3, and 5.4	User Interface support for: MAM 5.0, 5.1, 5.2, and 5.3
<b>MAM Connector</b>	MCS v2.8.0 supports MAM Connector v2.8.0 MCS v2.8.1 supports MAM Connector v2.8.1	MCS v2.7.0 supports MAM Connector v2.7.0 MCS v2.7.1 supports MAM Connector v2.7.1 MCS v2.7.2 supports MAM Connector v2.7.2	MCS v2.6.0 supports MAM Connector v2.6.0 MCS v2.6.1 and v2.6.2 support MAM Connector v2.6.1	MCS v2.5.0 supports MAM Connector v2.5.0 MCS v2.5.1 supports MAM Connector v2.5.1 MCS v2.5.2 supports MAM Connector v2.5.2 MCS v2.5.0 supports CCS v2.5.0	MCS v2.4.0 supports MAM Connector v2.4.0 MCS v2.4.1 supports MAM Connector v2.4.0, v2.4.1 and v2.4.2 MCS v2.4.2 supports MAM Connector v2.4.2 MCS v2.4.x supports CCS v2.4.0
<b>Closed Captioning Service (CCS)</b>	MCS v2.8.x supports CCS v2.8.0	MCS v2.7.0 supports CCS v2.7.0 MCS v2.7.1 and v2.7.2 support CCS v2.7.1	MCS v2.6.x supports CCS v2.6.0 Requires Interplay Production v3.3 or later	MCS v2.5.1, v2.5.2 support CCS v2.5.1 Requires Interplay Production v3.3 or later	MCS v2.4.x supports CCS v2.4.0 Requires Interplay Production v3.3 or later
<b>Assignments</b>	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
<b>MediaCentral   UX Connector for Adobe Premiere Pro CC</b>	v2.8.0 with Adobe Premiere Pro CC v10 (Release 2015.4)	v1.0 with Adobe Premiere Pro CC v10 (Release 2015.3)	Not Supported	Not Supported	Not Supported
<b>Maestro UX Plug-In</b>	MCS v2.8.x supports Maestro UX Plug-In v2.2 (Maestro v7.2)	MCS v2.7.1 and v2.7.2 support Maestro UX Plug-In v2.0 - 2.1 (Maestro v7.1)	Not Supported	Not Supported	Not Supported
<b>Operating System Components</b>					
<b>Red Hat Enterprise Linux (RHEL)</b>	6.5 [a]	6.5 [a]	6.5 [a]	6.5 [a]	6.5 [a]
a. See the MediaCentral Platform Services ReadMe for a list of RHEL security patches tested with MCS.					
<b>Avid Interplay Components</b>					
<b>Interplay Production with Send to Playback (STP) workflow</b>	MCDS 3.6.1: Supported by Interplay Production 3.6.x MCDS 3.6: Supported by Interplay Production 3.6. MCDS 3.5: Supported by Interplay Production 3.5 MCDS 3.4: Supported by Interplay Production [a] 3.2, 3.3, and 3.4 MCDS 3.3: Supported by Interplay Production [a] 3.1.3, 3.2, and 3.3 <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	MCDS 3.6.1: Supported by Interplay Production 3.6.x MCDS 3.6: Supported by Interplay Production 3.6. MCDS 3.5: Supported by Interplay Production 3.5 MCDS 3.4: Supported by Interplay Production [a] 3.2, 3.3, and 3.4 MCDS 3.3: Supported by Interplay Production [a] 3.1.3, 3.2, and 3.3 <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	MCDS 3.5: Supported by Interplay Production 3.5 MCDS 3.4: Supported by Interplay Production 3.2, 3.3, and 3.4 MCDS 3.3: Supported by Interplay Production 3.1.3, 3.2, and 3.3 <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	MCDS 3.5: Supported by Interplay Production 3.5 MCDS 3.4: Supported by Interplay Production 3.2, 3.3, and 3.4 MCDS 3.3: Supported by Interplay Production 3.1.3, 3.2, and 3.3 <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	MCDS 3.4: Supported by Interplay Production 3.2, 3.3, and 3.4 MCDS 3.3: Supported by Interplay Production 3.1, 3.2, and 3.3 <b>This release does not support STP with Interplay Production 2.7.x or 3.0.x.</b>  <b>This release does not support Interplay Production 3.5 or later.</b>
<b>Requires MediaCentral Distribution Service (MCDS)</b>	3.1.3 [a] - 3.6.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	3.1.3 [a] - 3.6.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	3.1.3 - 3.5.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	3.1.3 - 3.5.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	2.7.5 - 3.4.x (3.1 and later for Media Index) <b>This release does not support Interplay Production 3.5 or later.</b>
<b>Interplay Production without Send to Playback (STP) workflow</b>	3.1.3 [a] - 3.6.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	3.1.3 [a] - 3.6.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	3.1.3 - 3.5.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	3.1.3 - 3.5.x <b>This release does not support Interplay Production 3.1.2 or earlier.</b>	2.7.5 - 3.4.x (3.1 and later for Media Index) <b>This release does not support Interplay Production 3.5 or later.</b>
a. Media Central v2.7 and later requires Interplay Media Index v3.4.3 or later. Media Index v3.4.3 is supported with Interplay Production 3.1.x - 3.5.x.					
<b>Interplay Access</b> (only applies to Media Index configurations)	Interplay Access v3.1 - v3.6.x	Interplay Access v3.1 - v3.6.x	Interplay Access v3.1 - v3.5.x	Interplay Access v3.1 - v3.5.x	Interplay Access v2.7.5 - v3.4.x
<b>Required for the Production Engine Bus Connector (PEBCO).</b>	Interplay Access v3.6 required if indexing an Interplay Archive database	Interplay Access v3.6 required if indexing an Interplay Archive database	Interplay Access v3.6 is qualified if indexing an Interplay Archive database	Interplay Access v3.6 is qualified if indexing an Interplay Archive database	
<b>Avid iNEWS</b>					
<b>Avid iNEWS</b>	3.4.3 and later [a]	3.4.3 and later [a]	3.4.3 and later [a]	3.4.3 and later [a]	3.4.3 and later [a]
a. Integrations with Media Index supported with iNEWS v5.2 and later. For more information, see the Avid Media   Index Configuration Guide.					
<b>Shared Storage</b>					
<b>Avid ISIS Client (Linux) and Avid NEXIS Client (Linux)</b>	4.7.10 (pre-installed with MCS v2.8) 6.2.0 [b] (bundled with MCS v2.8)	4.7.7 (pre-installed with MCS v2.7) 6.0.0 [b] (bundled with MCS v2.7)	4.7.7 (pre-installed with MCS v2.6) 5.1.0 [a] (bundled with MCS v2.6)	4.7	MCS v2.4.0 includes ISIS Client v4.7.4 MCS v2.4.1 and v2.4.2 include ISIS Client v4.7.6
<b>Avid NEXIS</b>	6.0 - 6.2.0	6.0.0	Not Supported	Not Supported	Not Supported
<b>Avid NEXIS   PRO (formerly ISIS 1000)</b>	5.x (ISIS 1000 only), 6.0 - 6.2.0	5.x (ISIS 1000 only), 6.0.0	5.x (ISIS 1000 only)	Not Supported	Not Supported
<b>ISIS 2500 - 2000 System Director</b>	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.0 - 4.7.7	4.2.2, 4.5.x, 4.6.x, 4.7.4 or 4.7.6 (per bundled client)
<b>ISIS 5500 - 5000 System Director</b>	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.0 - 4.7.7	4.2.2, 4.5.x, 4.6.x, 4.7.4 or 4.7.6 (per bundled client)
<b>ISIS 7500 - 7000 System Director</b>	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.x [c]	4.2.2, 4.5.x, 4.6.x, 4.7.0 - 4.7.7	4.2.2, 4.5.x, 4.6.x, 4.7.4 or 4.7.6 (per bundled client)
a. The ISIS v5.1.0 client is supported with ISIS 7500, 7000, 5500 and 5000 back-ends running v4.7.5 or later and Avid NEXIS   PRO (formerly ISIS 1000) v5.x.					
b. The NEXIS v6.x client is supported with ISIS 7500, 7000, 5500 and 5000 back-ends running v4.7.5 or later, Avid NEXIS   PRO v5.x and later, and the versions of Avid NEXIS v6.x listed above.					
c. The ISIS client version must always be equal to or greater than the version of software on the Avid ISIS System Director. If necessary, upgrade to the Avid NEXIS client bundled with the MediaCentral software.					
<b>Browsers</b>					
<b>Avid MediaCentral   UX Desktop</b>	Desktop 1.4, 1.5, 1.5.1 • Windows 7 and Windows 10 (32 bit and 64 bit) • Mac OS 10.10	Desktop 1.1, 1.2, 1.3 and 1.4, 1.5, 1.5.1 • Windows 7 and Windows 10 (32 bit and 64 bit) • Mac OS 10.10	Desktop 1.1, 1.2 and 1.3 • Windows 7, Windows 8.1 and Windows 10 (32 bit and 64 bit) • Mac OS 10.10	Desktop 1.1, 1.2 and 1.3 • Windows 7, Windows 8.1 and Windows 10 (32 bit and 64 bit) • Mac OS 10.10	Desktop 1.0, 1.1, 1.2 and 1.3 • Windows 7 and Windows 8.1 (32 bit or 64 bit)
<b>Google Chrome</b>	Windows 7, Windows 10 and Mac OS 10.10 Tested version: 53.0.2785.116 m	Windows 7, Windows 10 and Mac OS 10.10 Tested version: 51.0.2704.84 m	Windows 7, Windows 8.1, Windows 10 and Mac OS 10.10 Tested version: 49.0.2623.87 m	Windows 7, Windows 8.1, Mac OS 10.10 Tested version: 46.0.2490.86  Windows 10 Tested version: 47.0.2526.106 m	Windows 7, Windows 8.1, Mac OS 10.10 Tested version: 45.0.2454.85 m
<b>Safari</b>	Mac OS X 10.10 (Yosemite) and 10.11 (El Capitan) Tested version: 9.1.3	Mac OS X 10.0 (Yosemite) and 10.11 (El Capitan) Tested version: 9.1	Mac OS X 10.0 (Yosemite) and 10.11 (El Capitan) Tested version: 9.0.3	Mac OS X 10.10 (Yosemite) Tested version: 9.0.1	Not Supported
<b>Safari 9</b>	Mac OS X 10.10 (Yosemite) and 10.11 (El Capitan) Tested version: 9.1.3	Mac OS X 10.0 (Yosemite) and 10.11 (El Capitan) Tested version: 9.1	Mac OS X 10.0 (Yosemite) and 10.11 (El Capitan) Tested version: 9.0.3	Mac OS X 10.10 (Yosemite) Tested version: 9.0.1	Not Supported
<b>Safari 8</b>	Not Supported	Not Supported	Not Supported	Mac OS X 10.10 (Yosemite)	Mac OS X 10.10 (Yosemite) Tested version: 8.0.8
<b>Safari 7</b>	Not Supported	Not Supported	Not Supported	Mac OS X 10.9 (Mavericks)	Mac OS X 10.9 (Mavericks)
<b>Mobile Devices</b>					
See <a href="#">MediaCentral Mobile page</a>					

# MediaCentral Platform Services (MCS) (Continued)

MediaCentral   UX Versions	MediaCentral 2.3.x	MediaCentral 2.2.x	MediaCentral 2.1.x	MediaCentral 2.0.x	Interplay Central 1.8, 1.8.1
	<a href="#">Unsupported as of June 30, 2017</a>	<a href="#">Unsupported as of June 30, 2017</a>	<a href="#">Unsupported as of March 30, 2016</a>	<a href="#">Unsupported as of March 30, 2016</a>	<a href="#">Unsupported as of September 30, 2016</a>
<b>Avid MediaCentral Platform Services v1.8.x through v2.3.x have reached their End Of Support dates. Information on this page is included for reference only.</b>					
<b>Qualified Products</b>					
Media Distribute (Interplay Pulse)	MCS 2.3.0 supports Distribute 2.3.0 MCS 2.3.1 and 2.3.2 support Distribute 2.3.1	2.2	2.1	2.0	1.8
Media Composer Cloud (Interplay Sphere)	<a href="#">For compatability information, see Media Composer   Cloud Playback Compatibility</a>		MC Cloud Playback v1.3.1 [a]	MC Cloud Playback v1.3.1 [a]	Latest plug-in for: • Media Composer 6.5x, 7.0.x • NewsCutter 10.5.x, 11.0x
a. Lists version of the plugin supported with MediaCentral. See the Media Composer Cloud ReadMe to verify specific Media Composer and Interplay Production compatability.					
Interplay MAM	User Interface support for: MAM 5.0, 5.1, and 5.2	MCS 2.2.x supports MAM 5.0 and 5.1 MCS 2.2.1 supports MAM 4.3.7	MCS 2.1.0 supports MAM 5.0.0 MCS 2.1.x supports MAM 5.0.1	Latest versions of Interplay MAM (v4.3.2x, v4.3.x) are not compatible with MediaCentral Platform v2.0.1.	4.3.5
MAM Connector	MCS 2.3.0 supports MAM Connector 1.2.0  MCS 2.3.1 and 2.3.2 support MAM Connector 1.2.1* * Patch required for MAM 5.1 and 5.2. MAM 5.0 does not support MAM Connector 1.2.1.	MCS 2.2.0 and 2.2.1 support MAM Connector 1.1.0  MCS 2.2.2 supports MAM Connector 1.1.1	MCS 2.1.0 supports MAM Connector 1.0.0  MCS 2.1.1 and 2.1.3 support MAM Connector 1.0.1	N/A	N/A
Closed Captioning Service (CCS)	MCS 2.3.0 supports CCS 2.3.0 MCS 2.3.1 and 2.3.2 support CCS 2.3.1 Requires Interplay Production v3.3 or later	Not Supported	Not Supported	Not Supported	Not Supported
<b>Operating System Components</b>					
Red Hat Enterprise Linux (RHEL)	6.5 [a]	6.5 [a]	6.5 [a]	6.5 [a]	6.3 (1.8), 6.5 [a] (1.8.1)
GlusterFS	MCS 2.3.0 and 2.3.1 support GlusterFS 3.4.4 and 3.4.0 MCS 2.3.2 supports GlusterFS 3.6.4	3.4.4, 3.4.0	3.4.4, 3.4.0	3.4.4, 3.4.0	3.3.1
a. See the MediaCentral Platform Services ReadMe for a list of RHEL security patches tested with MCS.					
<b>Avid Interplay Components</b>					
Interplay Production with Send to Playback workflow  Requires MediaCentral Distribution Service (MCDS)	MCDS 3.3: Supported by Interplay Production 3.1, 3.2, and 3.3  This release does not support STP with Interplay Production 2.7.x or 3.0.x.  <b>This release does not support Interplay Production 3.5 or later.</b>	MCDS 3.3: Supported by Interplay Production 3.1, 3.2, and 3.3  MCDS 3.2: Supported by Interplay Production 3.1 and 3.2  This release does not support STP with Interplay Production 2.7.x or 3.0.x.  <b>This release does not support Interplay Production 3.5 or later.</b>	MCDS 3.2: Supported by Interplay Production 3.1 and 3.2  This release does not support STP with Interplay Production 2.7.x or 3.0.x.  <b>This release does not support Interplay Production 3.5 or later.</b>	MCDS 3.1: Supported by Interplay Production 3.1  This release does not support STP with Interplay Production 2.7.x or 3.0.x.  <b>This release does not support Interplay Production 3.5 or later.</b>	ICDS 3.0.10: Supported by Interplay Production 2.7.5 through 3.0.x.  Send To Playback is not supported for XDCAM assets containing D tracks captured through Interplay Capture and AirSpeed.  <b>This release does not support Interplay Production 3.5 or later.</b>
Interplay Production without Send to Playback workflow	2.7.5 - 3.4.x (3.1 and later for Media Index) <b>This release does not support Interplay Production 3.5 or later.</b>	2.7.5 - 3.4.x (3.1 and later for Media Index) <b>This release does not support Interplay Production 3.5 or later.</b>	2.7.5 - 3.4.x (3.1 and later for Media Index) <b>This release does not support Interplay Production 3.5 or later.</b>	2.7.5 - 3.4.x (3.1 and later for Media Index) <b>This release does not support Interplay Production 3.5 or later.</b>	2.7.5 - 3.4.x <b>This release does not support Interplay Production 3.5 or later.</b>
<b>Avid iNEWS</b>					
Avid iNEWS	3.4.3 and later	3.4.3 and later	3.4.3 and later	3.4.3 and later	3.4.3 and later
<b>Shared Storage</b>					
ISIS Client (Linux)	4.7.4	4.7.2	4.7.2 (2.1.1), 4.7.0 (2.1)	4.7.0	4.7.0 (1.8.1), 4.6.1 (1.8)
ISIS 2500 - 2000 System Director	4.2.2, 4.5.x, 4.6.x, 4.7.0 - 4.7.4	4.1, 4.2, 4.5, 4.6, 4.6.1, 4.7.0	4.1, 4.2, 4.5, 4.6, 4.6.1, 4.7.0	4.1, 4.2, 4.5, 4.6, 4.6.1, 4.7.0	4.1, 4.2, 4.5, 4.6, 4.6.1
ISIS 5500 - 5000 System Director	4.2.2, 4.5.x, 4.6.x, 4.7.0 - 4.7.4	4.0.3, 4.5, 4.6, 4.6.1, 4.7.0	4.0.3, 4.5, 4.6, 4.6.1, 4.7.0	4.0.3, 4.5, 4.6, 4.6.1, 4.7.0	4.0.3, 4.5, 4.6, 4.6.1
ISIS 7500 - 7000 System Director	4.2.2, 4.5.x, 4.6.x, 4.7.0 - 4.7.4	4.0.3, 4.0.4, 4.5, 4.6, 4.7.0	4.0.3, 4.0.4, 4.5, 4.6, 4.7.0	4.0.3, 4.0.4, 4.5, 4.6, 4.7.0	4.0.3, 4.0.4, 4.5, 4.6
<b>Browsers</b>					
MediaCentral   UX Desktop	1.0	Not Supported	Not Supported	Not Supported	1.0 supported with ICS 1.8.1
Google Chrome	Windows 7, Windows 8.1, Mac OS 10.10 Tested version: 43.0.2357.124 m	Windows 7, Windows 8.1 Tested version: 41.0.2272.76 m	Windows 7, Windows 8.1 Tested versions: 38.0.2125.111m 39.0.2171.65 m	Windows 7, Windows 8.1	Windows 7, Windows 8.1
Safari 8	Mac OS X 10.10 (Yosemite) Tested version: 8.0.6	Mac OS X 10.10 (Yosemite) Tested version: 8.0.3 (10600.3.18)	Mac OS X 10.10 (Yosemite) Tested version: 8.0.1		
Safari 7	Mac OS X 10.9 (Mavericks)	Mac OS X 10.9 (Mavericks)	Mac OS X 10.9 (Mavericks) Tested version: 7.1 (9537.85.10.17.1)	Mac OS X 10.9 (Mavericks)	Mac OS X 10.9 (Mavericks)
Safari 6.0.3 and later versions of Safari 6	Not Supported	Mac OS X 10.7 (Lion) Mac OS X 10.8 (Mountain Lion)	Mac OS X 10.7 (Lion) Mac OS X 10.8 (Mountain Lion)	Mac OS X 10.7 (Lion) Mac OS X 10.8 (Mountain Lion)	Mac OS X 10.7 (Lion) Mac OS X 10.8 (Mountain Lion)
Safari 5.1.7	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
Internet Explorer 9 32 bit with Chrome Frame	Not Supported	Windows 7, Windows 8.1	Windows 7, Windows 8.1	Windows 7, Windows 8.1	Windows 7, Windows 8.1
<b>Mobile Devices</b>					
<a href="#">See MediaCentral Mobile page</a>					

# MediaCentral | UX Mobile

Mobile Operating System	Mobile Client Version									
	MediaCentral UX 2.10.x	MediaCentral UX 2.9.x	MediaCentral UX 2.8.x	MediaCentral UX 2.7.x	MediaCentral UX 2.6.x	MediaCentral UX 2.5.x	MediaCentral UX 2.3.x	MediaCentral UX 2.2	MediaCentral UX 2.1	MediaCentral UX 2.0
iOS 8.x	Not Supported	Not Supported	Supported in 2.8.0 and 2.8.1 only	Supported	Supported	Supported	N/A	Supported	Supported	Supported
iOS 9.x	Not Supported	Supported	Supported	Supported	Supported	Supported	N/A	Supported	N/A	N/A
iOS 10.x	Supported	Supported	Supported in 2.8.2 and later	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
iOS 11.x	Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
Android OS 4.1 - 4.3.1	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Supported
Android OS 4.4 - 4.4.4, 4.4W - 4.4W.2	Supported	Supported	Supported	Supported	N/A	Supported	Supported	Supported	Supported	Supported
Android OS 5.0 - 5.1.1	Supported	Supported	Supported	Supported	N/A	Supported	Supported	Supported	Supported	Supported
Android OS 6.0	Supported	Supported	Supported in 2.8.1 and later	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported

Server Version	Mobile Client Version									
	MediaCentral UX 2.10.x	MediaCentral UX 2.9.x	MediaCentral UX 2.8.x	MediaCentral UX 2.7.x	MediaCentral UX 2.6.x	MediaCentral UX 2.5.x	MediaCentral UX 2.3.x	MediaCentral UX 2.2	MediaCentral UX 2.1	MediaCentral UX 2.0
MCS v2.0.x	Not Supported	Supported [a]	Supported [a]	Supported [a]	iOS only [a]	Supported [a]	Android only [a]	Supported [a]	Supported [a]	Supported [a]
MCS v2.1.x	Not Supported	Supported [a]	Supported [a]	Supported [a]	iOS only [a]	Supported [a]	Android only [a]	Supported [a]	Supported [a]	Supported [a]
MCS v2.2.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.3.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.4.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.5.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.6.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.7.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.8.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.9.x	Supported	Supported	Supported	Supported	iOS only	Supported	Android only	Supported	Supported [a]	Supported [a]
MCS v2.10.x	Supported [b]	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported

The MediaCentral | UX mobile app does not support connecting to a MediaCentral | Cloud UX system.

MediaCentral v2.4.0 does not have an accompanying mobile client.

a. Darkened fields indicate legacy information for releases that are no longer supported. For more information on End of Support (EOS) dates, see the following Avid Knowledge Base article:

[http://avid.force.com/pkb/articles/en\\_US/faq/End-of-support-dates](http://avid.force.com/pkb/articles/en_US/faq/End-of-support-dates)

b. The MediaCentral UX Mobile app v2.10 supports connection to servers running MediaCentral Platform Services v2.10, and prior releases listed above. However, sites that have upgraded the servers to v2.10 **must** upgrade the mobile client to v2.10.

# Avid NEXIS Enterprise and PRO

**Note:** Avid NEXIS firmware runs only on the Avid NEXIS and ISIS 1000 platforms.

**NEW**

Avid NEXIS Version	Avid NEXIS 7.8	Avid NEXIS 7.9	Avid NEXIS 7.10
<b>Avid NEXIS Model</b>	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO (20TB & 40TB), Avid NEXIS   E2, Avid NEXIS E2   SSD, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO (20TB & 40TB), Avid NEXIS   E2, Avid NEXIS E2   SSD, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance
Media Composer   NewsCutter option, Symphony option	v7.0.x -- v8.9.x	v7.0.x -- v8.9.x	v7.0.x -- v8.9.x
AirSpeed 5000 / 5500	v2.9.7 -- 2.11	v2.9.7 -- 2.11	v2.9.7 -- 2.11
Pro Tools   HD	v12.8	v12.8	v12.8
Interplay Production	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>
MediaCentral (formerly Interplay Central)	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>

Avid NEXIS Version	Avid NEXIS 7.4	Avid NEXIS 7.5	Avid NEXIS 7.6	Avid NEXIS 7.7
<b>Avid NEXIS Model</b>	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance
Media Composer   NewsCutter option, Symphony option	v7.0.x -- v8.8.x	v7.0.x -- v8.8.x	v7.0.x -- v8.8.x	v7.0.x -- v8.8.x
AirSpeed 5000 / 5500	v2.9.7, 2.10	v2.9.7 -- 2.11	v2.9.7 -- 2.11	v2.9.7 -- 2.11
Pro Tools   HD	v12.7.x	v12.7.x	v12.7, v12.8	v12.7, v12.8
Interplay Production	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>
MediaCentral (formerly Interplay Central)	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>

Avid NEXIS Version	Avid NEXIS 7.0	Avid NEXIS 7.1	Avid NEXIS 7.2	Avid NEXIS 7.3
<b>Avid NEXIS Model</b>	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance
Media Composer   NewsCutter option, Symphony option	v7.0.x -- v8.6.x	v7.0.x -- v8.7.x	v7.0.x -- v8.7.x	v7.0.x -- v8.8.x
AirSpeed 5000 / 5500	v2.9.7, 2.10	v2.9.7, 2.10	v2.9.7, 2.10	v2.9.7, 2.10
Pro Tools   HD	v12.7.x	v12.7.x	v12.7.x	v12.7.x
Interplay Production	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>
MediaCentral (formerly Interplay Central)	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>

Avid NEXIS Version	Avid NEXIS 6.0	Avid NEXIS 6.0.1	Avid NEXIS 6.1	Avid NEXIS 6.2
<b>Avid NEXIS Model</b>	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, System Director Appliance	Avid NEXIS   PRO, Avid NEXIS   E2, Avid NEXIS   E4, Avid NEXIS   E5 System Director Appliance
Media Composer   NewsCutter option, Symphony option	v7.0.x -- v8.6.x	v7.0.x -- v8.6.x	v7.0.x -- v8.6.x	v7.0.x -- v8.6.x
AirSpeed 5000 / 5500	v2.9.4	v2.9.4	v2.9.4	v2.9.4
Pro Tools   HD	v12.5.x	v12.5.x	v12.5.x	v12.5.x
Interplay Production	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>	<a href="#">See Interplay page</a>
MediaCentral (formerly Interplay Central)	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>	<a href="#">See MCIUX page</a>

## Avid NEXIS | PRO v5.0 and Later

Note: v5.x runs only on the Avid NEXIS | PRO and ISIS 1000 platforms.

ISIS Version	ISIS v5.0	ISIS v5.0.1	ISIS v5.0.2
ISIS Model	Avid NEXIS   PRO	Avid NEXIS   PRO	Avid NEXIS   PRO
Media Composer   Software	v8.4 and later	v8.4 and later	v8.4 and later
Media Composer   Symphony option	v8.4 and later	v8.4 and later	v8.4 and later
NewsCutter	<i>Not tested</i>	<i>Not tested</i>	<i>Not tested</i>
Media Composer   NewsCutter option	v8.4 and later	v8.4 and later	v8.4 and later
Interplay   Assist	<i>Not tested</i>	<i>Not tested</i>	<i>Not tested</i>
MediaCentral (formerly Interplay Central)	<a href="#">See MC UX page</a>	<a href="#">See MC UX page</a>	<a href="#">See MC UX page</a>
iNews Instinct	<i>Not tested</i>	<i>Not tested</i>	<i>Not tested</i>
AirSpeed	<i>Not Supported</i>	<i>Not Supported</i>	<i>Not Supported</i>
AirSpeed MultiStream (AMS)	<i>Not Supported</i>	<i>Not Supported</i>	<i>Not Supported</i>
AirSpeed 5000 / 5500	<i>Not tested</i>	<i>Not tested</i>	<i>Not tested</i>
Pro Tools   HD	v12 and later	v12 and later	v12 and later

## Avid | ISIS Shared Storage 4.7.7 and Later

ISIS Version	ISIS v4.7.11	ISIS v4.7.10
<b>ISIS Model</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>
Media Composer   Software	v6.5 -- 8.7 and later	v6.5 -- 8.5 and later
Media Composer   Symphony option	v6.5 -- 8.6 and later	v6.5 -- 8.5 and later
NewsCutter	v10.5.x, v11.0.x	v10.5.x, v11.0.x
Media Composer   NewsCutter option	v6.5 – 8.6 and later	v6.5 – 8.5 and later
Avid DS	<i>No longer supported</i>	<i>No longer supported</i>
Interplay   Assist	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>
MediaCentral (formerly Interplay Central)	<b>See MediaCentral UX page</b>	<b>See MediaCentral UX page</b>
iNews Instinct	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>
AirSpeed	v2.7.15	v2.7.15
AirSpeed MultiStream (AMS)	v1.8.18	v1.8.16
Interplay Low-Res Encode	<i>Not Supported</i>	<i>Not Supported</i>
AirSpeed 5000 / 5500	v2.9.4 and later	v2.9.4 and later
Pro Tools   HD	<i>Not tested</i>	<i>Not tested</i>

ISIS Version	ISIS v4.7.9	ISIS 4.7.8	ISIS v4.7.7
<b>ISIS Model</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>
Media Composer   Software	v6.5 -- 8.5 and later	v6.5 -- 8.5 and later	v6.5 – 8.4 and later
Media Composer   Symphony option	v6.5 -- 8.5 and later	v6.5 -- 8.5 and later	v6.5 – 8.4 and later
NewsCutter	v10.5.x, v11.0.x	v10.5.x, v11.0.x	v10.5.x, v11.0.x
Media Composer   NewsCutter option	v6.5 – 8.5 and later	v6.5 – 8.5 and later	v6.5 – 8.4 and later
Avid DS	<i>No longer supported</i>	<i>No longer supported</i>	<i>No longer supported</i>
Interplay   Assist	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>
MediaCentral (formerly Interplay Central)	<b>See MediaCentral UX page</b>	<b>See MediaCentral UX page</b>	<b>See MediaCentral UX page</b>
iNews Instinct	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>
AirSpeed	v2.7.15	v2.7.15	v2.7.15
AirSpeed MultiStream (AMS)	v1.8.16	v1.8.16	v1.8.16
Interplay Low-Res Encode	<i>Not Supported</i>	<i>Not Supported</i>	<i>Not Supported</i>
AirSpeed 5000 / 5500	v2.9.1 and later	v2.9.1 and later	v2.9.1 and later
Pro Tools   HD	ISIS 7500: v12.x (Mirrored) ISIS 5500: Not Tested ISIS 2500: Not Tested	<i>Not tested</i>	<i>Not tested</i>

## Avid | ISIS Shared Storage 4.7 through 4.7.6

ISIS Version	ISIS v4.7.6	ISIS v4.7.5	ISIS v4.7.4	ISIS v4.7.3
<b>ISIS Model</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>
Media Composer   Software	v6.5 – 8.4 and later	v6.5 -- v8.4	v6.5.x, v7.0.x, v8.0--8.3	v6.5.x, v7.0.x, v8.0, v8.1
Media Composer   Symphony option	v6.5 – 8.4 and later	v6.5 -- v8.4	v6.5.x, v7.0.x, v8.0--8.3	v6.5.x, v7.0, v8.0
NewsCutter	v10.5.x, v11.0.x	v10.5.x, v11.0.x	v10.5.x, v11.0.x	v10.5.x, v11.0.x
Media Composer   NewsCutter option	v6.5 – 8.4 and later	v8.0 -- 8.3	v8.0--8.3	v8.0
Avid DS	<i>No longer supported</i>	<i>No longer supported</i>	ISIS 2500: Push / pull only ISIS 5500: v11.1 ISIS 7500: v11.1 (mirrored only)	ISIS 2500: Push / pull only ISIS 5500: v11.1 ISIS 7500: v11.1 (mirrored only)
Interplay   Assist <small>MediaCentral (formerly Interplay Central)</small>	<b>See Interplay Production page</b> <b>See MediaCentral UX page</b>	<b>See Interplay Production Page</b> <b>See MediaCentral UX page</b>	v2.5, v2.7.5, v3.0, v3.0.5, v3.1, v3.2 <b>See MediaCentral UX page</b>	v2.5, v2.7.5, v3.0, v3.0.5 <b>See MediaCentral UX page</b>
iNews Instinct	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>	<b>See Interplay Production page</b>	v5.0.1
AirSpeed	v2.7.15	v2.7.15	v2.7.15	v2.7.15
AirSpeed MultiStream (AMS)	v1.8.15	v1.8.15	v1.8.15	v1.8.14
Interplay Low-Res Encode	<i>Not Supported</i>	<i>Not Supported</i>	<i>Not Supported</i>	<i>Not Supported</i>
AirSpeed 5000 / 5500	v2.9.1	v2.7 -- v2.8	v2.1.x, v2.7.4	v2.1.x, v2.5.x, v2.6
Pro Tools   HD	<i>Not tested</i>	<i>Not tested</i>	ISIS 2500: Push / pull only ISIS 5500: v11.2.x, v12.x ISIS 7500: v11.3.x, v12.x (Mirrored)	<i>Not Supported</i>

ISIS Version	ISIS v4.7.1, v4.7.2	ISIS v4.7
<b>ISIS Model</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>	<b>ISIS 2500-2000, ISIS 5500-5000, ISIS 7500-7000</b>
Media Composer		v6.5.x, v7.0, v8.0
Media Composer 10 Gb client		
Media Composer   Software	v6.5.x, v7.0.x, v8.0	
Avid Symphony		v6.5.x, v7.0, v8.0
Avid Symphony 10 Gb client (a)		
Media Composer   Symphony option	v6.5.x, v7.0, v8.0	
NewsCutter	v10.5.x, v11.0.x	v10.5.x, v11.0.x
NewsCutter 10 Gb client		
Media Composer   NewsCutter option	v8.0	v8.0
Avid DS	<b>ISIS 2500-2000: Push/pull only</b> <b>ISIS 5500-5000: v11.1</b> <b>ISIS 7500-7000: v11.1 (mirrored only)</b>	<b>ISIS 2500-2000: Push/pull only</b> <b>ISIS 5500-5000: v11.1</b> <b>ISIS 7500-7000: v11.1 (mirrored only)</b>
Interplay   Assist <small>MediaCentral (formerly Interplay Central)</small>	v2.5, v2.7.5, v3.0, v3.0.5 <b>See MediaCentral UX page</b>	v2.7.5, v3.0, v3.0.5 <b>See MediaCentral UX page</b>
iNews Instinct	v5.0.1	v5.0.1
AirSpeed	2.7.15	
AirSpeed MultiStream (AMS)	v1.8.14	v1.8.14
Interplay Low-Res Encode	<i>Not Supported</i>	<i>Not Supported</i>
AirSpeed 5000 / 5500	v2.1.x, v2.5.x, v2.6	v2.1.x, v2.5.x, v2.6
Pro Tools   HD	<i>Not Supported</i>	<i>Not Supported</i>

**Notes:**

(a) Ultra High Resolution clients can mount RAID Workspaces, but only support resolutions that draw 16 MB/s (50 Mb/s) or less



# Avid | ISIS Shared Storage 4.0 through 4.6.1

ISIS Version	ISIS v4.6.x				ISIS v4.2			
	ISIS 2000	ISIS 5000	ISIS 7000 Mirrored Workspaces	ISIS 7000 RAID Workspaces (a)	ISIS 2000	ISIS 5000	ISIS 7000 Mirrored Workspaces	ISIS 7000 RAID Workspaces (a)
Media Composer	v5.5.x, v6.x, v6.5.x, v7.0.x				v6.x, v6.5.x (v5.5.x for v4.1 client; see Notes b, 12)			
Media Composer 10 Gb client								
Media Composer   Software								
Avid Symphony								
Avid Symphony 10 Gb client (b)								
Media Composer   Symphony option								
NewsCutter	v9.5.x, v10.x, v10.5.x, v11.0.x				v10.x, v10.5.x (v9.5.x for v4.1 ISIS client; see Notes b, 12)			
NewsCutter 10 Gb client								
Media Composer   NewsCutter option								
Avid DS	Push / pull only		v11.1	Not Supported	Push / pull only		v11.x	Not Supported
Interplay   Assist	v2.6, v2.7				v2.6, v2.7			
MediaCentral (formerly Interplay Central)	See MediaCentral UX page				See MediaCentral UX page			
iNews Instinct	v2.7, v3.0, v3.0.5				v2.6, v2.7			
AirSpeed	v2.7.12				v2.7.12			
AirSpeed MultiStream (AMS)	1.8.12				v1.8.6			
Interplay Low-Res Encode	Not Supported		v2.6, v2.7		Not Supported		v2.6, v2.7	
AirSpeed 5000 / 5500	v2.5.x, v2.6				v2.0 and later			
Pro Tools   HD	Push / pull only	v10.3.x, v11.x	v10.3.x, v11.x	Not Supported	Push / pull only	10.3.x, v11.0.x	10.3.x, v11.0.x	Not Supported

ISIS Version	ISIS v4.1				ISIS 4.0				
	ISIS 2000	ISIS 5000	ISIS 7000 Mirrored Workspaces	ISIS 7000 RAID Workspaces (a)	ISIS 2000	ISIS 5000	ISIS 7000 Mirrored Workspaces	ISIS 7000 RAID Workspaces (a)	
Media Composer	v5.5.x, v6.0.x				Not Applicable	v5.5.x, v6.0.x. See Note 1.			
Media Composer 10 Gb client	v5.5.x, v6.0.x				Not Applicable	v5.5.x, v6.0.x. See Note 2.			
Media Composer   Software									
Avid Symphony	v5.5.x, v6.0.x				Not Applicable	v5.5.x, v6.0.x. See Note 3.			
Avid Symphony 10 Gb client (b)	v5.5.x, v6.0.x				Not Applicable	v5.5.x, v6.0.x. See Note 4.			
Media Composer   Symphony option									
NewsCutter	9.5.x, x10.0.x				Not Applicable	v9.5.x, v10.0.x. See Note 5.			
NewsCutter 10 Gb client	9.5.x, x10.0.x				Not Applicable	v9.5.x, v10.0.x. See Note 6.			
Media Composer   NewsCutter option									
Avid DS	Push / pull only	v10.5.x		Not Supported	Not Applicable	10.5.x. see Note 7.		Not Supported	
Interplay   Assist	v2.6, v2.7	v2.1, v2.2.x, v2.3, v2.4.x, v2.5, v2.6, v2.7				Not Applicable	v2.1, v2.2.x, v2.3, v2.4.x, v2.5. See Note 8.		
MediaCentral (formerly Interplay Central)	See MediaCentral UX page				See MediaCentral UX page				
iNews Instinct	v2.6, v2.7	v2.1, v2.2.x, v2.3, v2.4.x, v2.6, v2.7				Not Applicable	(Avid Instinct) v2.1, v2.2.x, v2.3, v2.4. See note 11.		
AirSpeed	v2.7.12		v2.7.10, v2.7.12		Not Applicable	v2.7.10			
AirSpeed MultiStream (AMS)	v1.8.6 and later	v1.4 and later	v1.0 and later	v1.2 and later	Not Applicable	v1.4 and later	v1.0 and later	v1.2 and later	
Interplay Low-Res Encode	Not Supported		v2.3, v2.4, v2.6, v2.7		Not Applicable	Not Supported		v2.3, v2.4	
AirSpeed 5000 / 5500	v2.1 and later	v1.4 and later	v1.0 and later	v1.2 and later					
Pro Tools   HD	Push / pull only	v10.0-10.3.x	v10.0-10.3.x	Not Supported	Not Applicable	v10.0-10.3.x	v10.0-10.3.x	Not Supported	

## Notes:

- (a) ISIS 7000 RAID 6 Workspaces support only resolutions that draw 16 MB/s (50 Mb/s) or less.
- (b) Ultra High Resolution clients can mount RAID Workspaces, but only support resolutions that draw 16 MB/s (50 Mb/s) or less
- (1) Required hardware: HP xw8400, xw8600, Z200, Z210, Z400, Z800; MAC Pro and iMac (2.8 GHz and 2.66 GHz 4 GB) systems and newer
- (2) Required hardware: HP xw8600, dual quad-core HP xw8400, Z400, Z800; MAC Pro Nehalem 2.66 GHz and 2.93 GHz
- (3) Required hardware: HP xw8400b, HP xw8600, Z400, Z800; MAC Pro and iMac (2.8 GHz and 2.66 GHz 4 GB) systems and newer
- (4) Required hardware: HP xw8600, dual quad-core HP xw8400, Z400, Z800; MAC Pro Nehalem 2.66 GHz and 2.93 GHz
- (5) Required hardware: HP xw8400b, HP xw8600, Z200, Z210, Z400, Z800
- (6) Required hardware: HP xw8600, dual quad-core HP xw8400, Z400, Z800
- (7) See also <http://www.avid.com/US/products/avid-DS>
- (8) Includes Interplay components covered by these Interplay versions (for example, AirSpeed® MultiStream). The Interplay Low-Res Encoder is not supported on ISIS 5000.
- (9) v1.x for ISIS 5000 Workspaces; v1.1 for ISIS 7000 Mirrored and RAID 6 Workspaces.
- (10) Not supported on ISIS 5000.
- (11) Requires Workgroup Environment and HP Z200.
- (12) Media Composer and Symphony v5.5.x, and NewsCutter v9.5.x editing software releases were not qualified with ISIS v4.2 client software. You must continue to use ISIS client v4.1 with these editor releases.



## Avid Router Control Supported Controllers

Controller Type	Model	Communication	Protocol	Tested Controller Software
Imagine Communications	Platinum (Legacy)	Ethernet	LRC V1.3	V4.6.B13
Imagine Communications	Platinum IP3	Ethernet	LRC V1.3	V1.5.1, V2.0
Harris Broadcast	Platinum	Ethernet	LRC V1.1	V4.3.B19
Utah Scientific	SC-4	Ethernet	RPC3	v1.9.4 v1.9.6 v2.0.2
Evertz Magnum	Magnum	Ethernet	Quartz Standard Protocol (Magnum additions)	Magnum: V1.14.2 Magnum Router: V2.16.3.
Evertz Quartz	EQX Server & Xenon	Serial or Ethernet	Quartz Standard Protocol	v5.22
Grass Valley Encore	Encore 1.7.3 controller software	Serial or Ethernet	Router Control Language (RCL)	v1.7.4
Grass Valley Jupiter	CM-4000/CP-4400	Serial	ES-Switch Protocol	v7.9.1 See Notes 1 and 2.
Miranda NVision	NV9000	Ethernet	NV9000	v6.0.19
Pro-Bel	Aurora & Axis	Serial	SW-P-08	

(1) Jupiter AccuSwitch mode software versions older than v7.9.1 on the CM-4000/CM-4400 are known to not work with the Router Control Jupiter plug-in. Jupiter Express mode has only been tested with v7.9.1. Other versions of Jupiter software have not been tested with the CM-4000/CM-4400. Note that the VM-3000 is no longer supported, because it will not work with GV v7.9.1 and later.

(2) Jupiter AccuSwitch v7.9.1 is the last supported release for CM-4000 and CM-4400.

### Protocol Translators (Emulators) are not supported

Note that Protocol Translators (Emulators) are not supported. The Tested Controller Software column lists the versions of the controller software that have been tested in the QA lab and have been demonstrated to be compatible with Router Control v3.7 and later. Other versions of controller software may work, unless otherwise noted, though they have not been specifically tested in the lab.